

MYERS-SETH PUMP, INC.™

- MULTIPLE PUMP APPLICATION, WILL HANDLE RAW SEWAGE, WELLPOINTING, SOCKDRAIN, DEWATERING, TANK CLEANING, TRANSFER OF INDUSTRIAL WASTEFLOWS

- AUTOMATIC PRIMING & RE-PRIMING
- LARGE SOLID HANDLING CAPABILITY
- PUMP CAST IRON CONSTRUCTION
- ANTI-CAVATIONAL IMPELLER
- POWDER COATED FRAME
- LOW MAINTENANCE
- HIGH RELIABILITY
- LARGE FUEL TANK
- DRY RUNNING
- DRY PRIMING



MODEL: **DP100**

4" VACUUM ASSISTED TRASH PUMP

The DP100 Pump is specially designed for low maintenance, high reliability and excellent performance. It can withstand the harshest environments, and is capable of handling multiple applications such as trashy water, de-watering, sock drain, wellpointing, sewage applications, tank transfers, and environmental uses. It comes powder coated except on parts where heat and service areas are a factor, to provide outstanding protection in harsh environments. The DP100 is designed as a high performance high volume pump that can accommodate any of your pumping requirement.


ADVANCE PUMPING TECHNOLOGY

Specifications: Vacuum Assisted 4" Centrifugal Trash Pump

Pump Mount: *Close Coupled*
Pump/Engine Operating Speed: *1,000 to 1,800 Rpm's*
Priming System: *Vacuum, 50CFM*
Total Dynamic Head: *145 Feet / 44.19m*
Suction Lift Capability: *30 Feet / 9.14m*
Pump Flow: *750gph/45,000gph (2,839L)*
Solid Passage: *3.0", (78mm)*
Mechanical Seal Faces: *Tungsten Carbide*
Suction & Discharge Ports: *4" (100mm)*
Impeller: *2 Vane, Anti-Cavation*
Flapper Type: *Weighted, Reinforced Rubber*
Axle Capacity: *3,500 lbs., Torflex*
Tires & Wheels: *15", 5 Lug Wheels*
Trailer Components: *DOT Approved*
Fuel Tank: *45 Gallon w/Fuel Gauge*
Paint System: *Powder coated*
Construction: *Cast Iron - Class 30*

OPTIONS:

Engines: *Caterpillar, John Deere, Hatz, Deutz, Perkins (Silent and other engines available)*
Vacuum Pump: *100CFM*
Frame: *Skid Mounted*



REPRESENTED BY:

Specifications Subject To Change Without Notice.

Warranty Statement Available Upon Request.

U.S. Patents Pending


MYERS-SETH PUMP, INC.

5800 Beach Boulevard, Suite 203-171 • Jacksonville, Florida 32207 USA

Phone (904) 727-0008 • Fax (904) 399-1076

Toll FREE 1-888-51-MYERS

MODEL: DP100



Manufacturer: Myers-Seth Pump, Inc, Jacksonville, FL		Model: DP-100	Suction Size: 4" Inch / 100 mm
Impeller Full Dia. 11.0" In. / 280 mm	Normal Speed: 1,800 Rpm's	Solids Handling: 2.0" Inch / 50.8 mm	Discharge Size: 4" Inch / 100 mm

PERFORMANCE CURVES BASES ON WATER SP. GR 1